Jason R. Ferrel, MD | 614-545-7958 [fin Della Della General_MD]

Distal Femoral Osteotomy (DFO) Rehabilitation Protocol

	Weight-bearing	Brace	Range of Motion	Exercises
Phase 1 0-2 weeks	Heel touch only	Locked in full extension at all times	Non weight bearing goal 0- 90 ° @ first post-op visit	Calf pumps, patellar
				mobilization, quadriceps
		Off for hygiene and home exercise only		tightening sets and SLR in
				brace
Phase 2 2-6 weeks	Heel touch only	2-6 weeks: Unlocked 0-90° and worn daytime only until 6 weeks		Progress non-weight-bearing flexibility, modalities as needed
		Off at night for sleeping Discontinue brace at 6 weeks		Add side-lying hip and core, advance quad set and stretching
				Advance core work with hip, gluteal and core strengthening
Phase 3 6-8 weeks	Wean off crutches and progress to full with normalized gait pattern	Discontinue brace at 6 weeks once normal gait achieved	Full	Progress closed chain activities.
				Advance hamstring exercises, proprioception & balance exercises, lunges & leg press
				Advance core work with hip, gluteal and core strengthening
				Begin Stationary Bike at 6 weeks
Phase 4 8-16 weeks	Full	None	Full	Progress Phase III exercises and functional activities: walking lunges, planks, bridges, Swiss ball, half-Bosu exercises
				Advance core work with hip, gluteal and core strengthening
				Add elliptical at 12 weeks and swimming permitted at 12 weeks.
Phase 5 4-6 months	Full	None	Full	Advance Phase 4 activities.
				Progress to functional training, including impact activity after 5 months when cleared by MD

SLR - Straight-leg raise